

PRODUCT CATALOGUE

Index

Acrylic Sealants

Sikacryl® - 112 Universal	5
SikaMastik	5
ABC 100 Acrylic Sealant	6
ABC 150 Siliconized Sealant	6
ABC 200 Siliconized Sealant	7
ABC 300 Siliconized Sealant	7
ABC 500 Performance	8
ABC 650 Fire Rated Acrylic Sealant	8
ABC 689 Clear Seal	9
ABC 1000 Maximum	9

Silicones

Sikasil® Multiplus T	11
Sikasil® Universal	11
Sika® Nötr Silicone Sealant	12
Sikasil® C Neutral Silicone Sealant	12
ABC 600 Universal Silicone	13
ABC 800 Universal Silicone	13
ABC 900 Universal Silicone	14
ABC 750 High Temperature Silicone Sealant	14
ABC 777 Shower Silicone Sealant	15
ABC 870 Mirror Silicone Sealant	15
ABC 950 Neutral Silicone Sealant	16
ABC 990 Aquarium Silicone Sealant	16
ABC RTV 598 High Temperature Silicone Sealant	17
ABC 987 Universal Silicone	17

Polyurethane Foams

Sika Boom® 200 GK Straw Polyurethane Foam	19
Sika Boom® 200 GK Gun Polyurethane Foam	19
ABC 818 Polyurethane Foam	20
ABC 840 Straw Polyurethane Foam	20
ABC 860 Straw Polyurethane Foam	21
ABC 880 Gun Polyurethane Foam	21
ABC 910 Adhesive Foam	22
ABC 940 Door & Window Foam	22
ABC 980 Mega Polyurethane Foam	23

Index

ABC 970 Safety Valve Polyurethane Foam	23
ABC B1 Fire Rated Foam	24
ABC 808 Foam Cleaner	24
Polyurethane Sealant	
ABC 915 FC Polyurethane Sealant	27
ABC 920 Automotive	27
ABC 930 Windshield Adhesive	28
Sikaflex®- 120 Multipurpose	28
Hybrids Sealant	
Sikaflex®- 111 Stick & Seal	31
Sikaflex®- 112 Crystal Clear	31
Sikaflex®- 113 Rapid Cure	32
Sikaflex®- 118 Extreme Grab	32
ABC 2000	33
MS 1 High Tack	33
Adhesives	
ABC 444 Montage Kit	35
ABC 333 Liquid Nail	35
ABC 850 EPDM Adhesive	36
MDF Kit	36
ABC Marble and Stone Adhesive	37
ABC 702 Super Glue	37
ABC 700	38
ABC PU Marine Adhesive	38
Aerosols	
Sika® Multioil	41
Sika Braker Cleaner	41
ABC Spray Paint	42
Supplementary Products	
Polyurethane Foam Gun	45
Silicone Sealant Gun	45
Sausage Gun	45



Acrylic Sealants

Sikacryl[®]-112 Universal

Single component acrylic based sealant



Product Information

Properties/Advantages:

- Good application properties and easy application
- Over paintable
- Designed for connection joints around windows, windows silis, door, dry participation ceilings
- Rain resistance

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges, 400 ml and 600 sausage

Colors:

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 24

SikaMastik

High performance silicone sealant



Product Information

Properties/Advantages:

- High performans of adhesion
- Permanently flexible
- Easy to use
- Assembly of PVC and aluminum joinery
- Non-sagging properties
- Paintable
- Very good resistance to cracking and discoloration

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges, 400 ml and 600 sausage

Colors:

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 24

ABC 100 Acrylic Sealant

Single component acrylic based sealant



Product Information

Properties/Advantages:

- Elasticity %5
- Form permanently water repellent layer after curing
- Expanding joints between prefabricated construction elements
- Assembly of wood, PVC, iron and aluminum joinery
- Joints construction elements as stone, wood, concrete, plaster and brick works etc.
- Can be used on cracks before painting applications

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 500 gr cartridges, 400 ml and 600 sausage
- Buckets of 5, 10, 25 & 320 kg

Colors:

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 30

ABC 150 Siliconized Sealant

Single component acrylic based sealant



Product Information

Properties/Advantages:

- Elasticity %7,5
- Form permanently water repellent layer after curing
- Expanding joints between prefabricated construction elements
- Assembly of wood, PVC, iron and aluminum joinery
- Joints construction elements as stone, wood concrete, plaster and brick works etc.
- Can be used on cracks before painting applications

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 500 gr cartridges, 400 ml and 600 sausage
- Buckets of 5, 10, 25 & 320 kg

Colors:

- White

Units per Package:

- 30

ABC 200 Siliconized Sealant

Water based easy to apply, single component acrylic sealant



Product Information

Properties/Advantages:

- Elasticity %7,5
- Form permanently water repellent layer after curing
- Expanding joints between prefabricated construction element
- Assembly of wood, PVC, iron and aluminum joinery
- Joints construction elements as stone, wood concrete, plaster and brick works etc.
- Can be used on cracks before painting applications

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 500 gr cartridges, 400 ml and 600 sausage
- Buckets of 5, 10, 25 & 320 kg

Colors:

- White

Units per Package:

- 30

ABC 300 Siliconized Sealant

Water based easy to apply, single component acrylic sealant



Product Information

Properties/Advantages:

- Elasticity %10
- Form permanently water repellent layer after curing
- Expanding joints between prefabricated construction element
- Assembly of wood, PVC, iron and aluminum joinery
- Joints construction elements as stone, wood concrete, plaster and brick works etc.
- Can be used on cracks before painting applications

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 500 gr cartridges, 400 ml and 600 sausage
- Buckets of 5, 10, 25 & 320 kg

Colors:

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 30

ABC 500 Siliconized Sealant

High performance single component acrylic based sealant



Product Information

Properties/Advantages:

- Elasticity %15
- Form permanently water repellent layer after curing
- Expanding joints between prefabricated construction element
- Assembly of wood, PVC, iron and aluminum joinery
- Joints construction elements as stone, wood concrete, plaster and brick works etc.
- Can be used on cracks before painting applications

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges, 400 ml and 600 sausage
- Buckets of 5, 10, 25 & 320 kg

Colors:

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 30

ABC 650 Fire Rated Acrylic Sealant

High performance single component acrylic based sealant



Product Information

Properties/Advantages:

- Sealing of joint and seams or at certain areas where requirements for fire resistance are mandatory
- Steel channels, canal boats, for the sealing of cables and cable ducts
- Free asbestos and halogen

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges
- Buckets of 5, 10, 25 & 320 kg

Colors:

- White

Units per Package:

- 30

ABC 689 Clear Seal

One component high performance acrylic based clear sealant.



Product Information

Properties/Advantages:

- Dries clear in 7-14 days
- Can be used as an adhesive for skirting boards, door frames and light decorative materials.
- Can be used as a sealant for prefabricated applications and PVC windows insulation.
- Paintable
- Permanent flexible

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges, 400 ml and 600 sausage

Colors:

- Transparent

Units per Package:

- 30

ABC 1000 Maximum

High performance single component acrylic based sealant



Product Information

Properties/Advantages:

- Elasticity %25
- High adhesion and elasticity properties
- High UV stability
- Stain resistant
- Can be easily cleaned by wet cloth
- After curing, has service life as applied joints
- Paintable
- Does not stain on porous substrates
- Water, wind and moist resistant for aluminum, wood and PVC frame applications

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges, 400 ml & 600 ml sausage
- Buckets of 5, 10, 25 & 320 kg

Colors:

- White, grey, black, brown, gold oak, anthracite, cream

Units per Package:

- 30



Silicone Sealants

Sikasil® Multiplus T

Acetoxy curing universal silicone



Product Information

Properties/Advantages:

- Low-modulus
- Easy application
- Uses for non-porous surface
- UV resistance
- Keeps elasticity after curing
- High elasticity and flexibility

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 280 ml cartridges

Colors:

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 24

Sikasil® Universal

Acetoxy silicone sealant for glazing and weatherproofing



Product Information

Properties/Advantages:

- Low-modulus
- High elasticity and flexibility
- Very good resistance to shrinkage, cracking and discoloration
- Very good adhesion to a variety of non-porous substrates
- Excellent adhesion to aluminum and glass surfaces

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 280 ml cartridges

Colors:

- Transparent, white, grey, black

Units per Package:

- 12

Sika® Nötr Silikon

Construction and sanitary applications for the neutral curing silicone sealant



Product Information

Properties/Advantages:

- Excellent adhesion and durability in aluminum composites and joinery, PVC, marble and glass joints
- Color stability.
- Resistant to UV
- High durability to weather conditions such as rain, snow, wind and direct sunlight
- Non-corrosive
- Keeps elasticity after curing

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 24

Sikasil® C Neutral Silicone

Silicone sealant for construction and sanitary applications



Product Information

Properties / Advantages:

- Primerless for most substrates and applications
- Resistant to UV exposure
- Resistant to weathering and ageing
- Good adhesion to many construction materials such as: metals, concrete, painted surfaces, wood, plastics, ceramic tiles and glass.
- Low VOC emissions
- Long term fungus and mildew resistance
- High elasticity and flexibility
- Non-corrosive

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 300 ml cartridges

Colors:

- Transparent, white, black, grey, anthracite

Units per Package:

- 12

ABC 600 Universal Silicone

Acetoxy based universal silicone



Product Information

Properties/Advantages:

- Continuing color properties, UV resistant
- Keep elasticity after curing
- Odor free after curing
- High service temperature range (between -50°C and +150°C)

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 280 gr cartridges

Colors:

- Transparent, white, black

Units per Package:

- 30

ABC 800 Universal Silicone

Acetoxy based universal silicone



Product Information

Properties/Advantages:

- Continuing color properties, UV resistant
- Keep elasticity after curing
- Odor free after curing
- High service temperature range (between -50°C and +150°C)

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 280 ml cartridges

Colors:

- Transparent, white, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 30

ABC 900 Universal Silicone

Acetoxy based universal silicone



Product Information

Properties/Advantages:

- Continuing color properties, UV resistant
- Keep elasticity after curing
- Odor free after curing
- High service temperature range (between -50°C and +150°C)

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- Transparent, white, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 30

ABC 750 High Temperature Silicone Sealant

Single component, moisture curing acetoxy based silicone with easy application



Product Information

Properties/Advantages:

- Resistant to high temperature (permanently 270°C, temporarily 315°C).
- Keeps elasticity after curing
- Moisture curing
- Resistant to water, ozone, UV and chemicals

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- Red, black

Units per Package:

- 30

ABC 777 Shower Silicone Sealant

Single component, moisture curing silicone with easy application



Product Information

Properties/Advantages:

- High modulus, antibacterial properties, does not stain
- Keeps elasticity after curing
- Color stability
- For shower manufacturing, bathroom, kitchen and sanitary applications
- High adhesion

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- Transparent, white

Units per Package:

- 30

ABC 870 Mirror Silicone Sealant

Single component, moisture curing neutral silicone with easy application



Product Information

Properties/Advantages:

- For using mirror applications.
- Does not attack to mirrors back
- High modulus
- Keeps elasticity after curing

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- Transparent

Units per Package:

- 30

ABC 950 Neutral Silicone Sealant

Single component neutral silicone with easy application properties



Product Information

Properties/Advantages:

- Excellent adhesion and durability in aluminum composites and joinery, PVC, marble and glass joints
- Color stability, resistant to UV
- High durability to weather conditions such as rain, snow, wind and direct sunlight
- Non-corrosive
- Keeps elasticity after curing

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges
- 400 ml and 600 ml sausage

Colors:

- Transparent, white, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 30

ABC 990 Aquarium Silicone Sealant

Single component easy to apply silicone specially designed for aquariums



Product Information

Properties/Advantages:

- Designed for aquarium manufacture and mounting with excellent adhesions properties
- %100 silicone
- Does not harm fishes due to non-fingicidal and solvent free content

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- Transparent

Units per Package:

- 30

ABC RTV 598 High Temperature Silicone Sealant

High temperature silicone sealant



Product Information

Properties/Advantages:

- Excellent temperature resistance: remains flexible from -50 / +300°C
- Extremely low dirt pick up.- 1 hour tack free
- Red colour/Black colour- for easy installation identification.
- Excellent adhesion to non-porous surfaces.
- Waterproof seal

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 50 ml Tube Silicone

Colors:

- Red, Black

Units per Package:

- 40

ABC 987 Universal Silicone

Acetoxy based universal silicone



Product Information

Properties/Advantages:

- Continuing color properties, UV resistant
- Keep elasticity after curing
- Odor free after curing
- High service temperature range (between -50°C and +150°C)

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 50 ml Tube Silicone

Colors:

- Transparent, white, black

Units per Package:

- 40



Polyurethane Foams

Sika Boom® 200 GK Straw Polyurathane Foam

Fixing, filling and insulating foam



Product Information

Properties / Advantages:

- Easy application at low temperatures ($> +5^{\circ}\text{C}$)
- Fast curing
- High expanding rate
- High temperature insulation
- Effective sound dampening
- Ageing resistant
- No ozone layer damaging propellant

Shelf Life:

- 15 months with suitable storage conditions
(Please refer latest Data Sheets)

Packaging Information:

- 750 ml cans

Units per Package:

- 16

Sika Boom® 200 GK GUN Polyurathane Foam

Fixing, filling and insulating gun foam



Product Information

Properties / Advantages:

- Easy application at low temperatures ($> +5^{\circ}\text{C}$)
- Fast curing
- High expanding rate
- High temperature insulation
- Effective sound dampening
- Ageing resistant
- No ozone layer damaging propellant

Shelf Life:

- 15 months with suitable storage conditions
(Please refer latest Data Sheets)

Packaging Information:

- 750 ml cans

Units per Package:

- 16

ABC 815 Straw Polyurethane Foam

Fixing, filling and insulating foam



Product Information

Properties/Advantages:

- Suitable for door and window mounting, filling voids in masonry, brick and concrete elements and wall penetrations
- Suitable for sound and heat insulation
- Does not contain harmful gases for ozone layer
- Paintable and cuttable after curing
- Economical

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 500 ml Cans

Units per Package:

- 16

ABC 840 Straw Polyurethane Foam

Fixing, filling and insulating foam



Product Information

Properties/Advantages:

- Suitable for door and window mounting, filling voids in masonry, brick and concrete elements and wall penetrations
- Suitable for sound and heat insulation
- Does not contain harmful gases for ozone layer
- Paintable and cuttable after curing
- Economical

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 600 gr cans

Units per Package:

- 16

ABC 860 Straw Polyurethane Foam

Fixing, filling and insulating foam



Product Information

Properties/Advantages:

- Suitable for door and window mounting, filling voids in masonry, brick and concrete elements and wall penetrations
- Suitable for sound and heat insulation
- Does not contain harmful gases for ozone layer
- Paintable and cuttable after curing
- Economical

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 600 gr cans

Units per Package:

- 16

ABC 880 Gun Polyurathane Foam

Fixing, filling and insulating gun foam



Product Information

Properties/Advantages:

- For gun application
- Suitable for door and window monting, filing voids in masonry, brick and concrete elements and wall epenetrations
- Suitable for sound and heat insulation
- Does not contain harmful gases for ozone layer
- Paintable and cuttable after curing

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 750 ml cans

Units per Package:

- 16

ABC 910 Adhesive Foam

ABC 910 is a one component aerosol polyurethane adhesive foam curing swiftly with moisture.



Product Information

Properties/Advantages

- Powerful adhesion of polystyrene heat panels (XPS and EPS).
- Best for mounting heat insulation panels and filling voids during adhesive application.
- A lighter material compared to plaster, alternative material, used in heat insulation systems.
- Minimum expansion during drying period.
- Advised for wooden type construction materials adhesion to concrete, metal etc.

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 750 ml cans

Units per Package:

- 16

ABC 940 Door & Window Foam

Low expansion PU Foam specially designed for window and door mounting



Product Information

Properties/Advantages:

- Low expansion due to special formulation
- Controlled expansion properties prevents outflow from window and door frames
- Lower waste due to low expansion
- High efficiency
- B3 class due to DIN 4102 standards
- Does not contain harmful gases for ozone layer

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 750 ml cans

Units per Package:

- 16

ABC 980 Mega Foam

Fixing, filling and insulating gun foam



Product Information

Properties/Advantages

- For gun applications
- Suitable for door and window mounting, filling voids in masonry, brick and concrete elements and wall penetrations
- Suitable for sound and heat insulation
- Does not contain harmful gases for ozone layer
- Paintable and cuttable after curing

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 850 ml cans

Units per Package:

- 16

ABC 970 Safety Valve Polyurathane Foam

Reusable fast curing PU Foam



Product Information

Properties/Advantages:

- Reusability: Can be re-used repeatedly even if partially used before
- Even stored in horizontal or upside-down position the valve is never blocked
- Economical in use- expands up to 45 Lt
- Fills irregular and broad gaps where most conventional fillers would fail
- Possesses insulating and sound deadening properties

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 750 ml cans

Units per Package:

- 16

ABC B1 Fire Rated Foam

B1 class rated PU foam



Product Information

Properties/Advantages:

- According to EN 1366-4 fire resistance up to 235 min
- Efficient seal against smoke and gas
- Does not contain CFC's and H-CFC's
- High yield up to 55 liters depending on temperature and humidity
- Gun use, reusability and precise application
- Conforms to fire class B1 (DIN 4102)

Shelf Life:

- 9 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 750 ml cans

Units per Package:

- 16

ABC 808 Foam Cleaner

PU Foam cleaner



Product Information

Properties/Advantages:

- Designed for cleaning of PU foam guns
- Spray valve for cleaning PU foam from gun adaptor, can be applied horizontally or vertically
- Does not contain harmful gases for ozone layer

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 500 ml cans

Units per Package:

- 16





PU Sealants

ABC 915 FC

Single component moisture cure polyurethane sealant



Product Information

Properties/Advantages:

- Excellent adhesion
- Thixotropic application properties
- %25 movement capacity
- Permanent elasticity after curing
- Suitable for facade, roof, composite and panel applications

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 280 ml cartridges
- 400ml and 600 sausages

Colors:

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 24

ABC 920

Single component moisture cure polyurethane sealant



Product Information

Properties/Advantages:

- Excellent adhesion
- Thixotropic application properties
- %25 movement capacity
- Permanent elasticity after curing
- Suitable for automobile industry for car, caravan etc. manufacturing
- Can be used for seismic reduction between metal joints

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- White, grey, black

Units per Package:

- 24

ABC 930

Single component PU based adhesive for windshield installation



Product Information

Properties/Advantages:

- For automobile windshield installation applications
- Single component
- Non sagging properties
- High modulus
- High initial grab
- Paintable

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges
- 600 ml sausages

Colors:

- Black

Units per Package:

- 24

Sikaflex® - 120 Multipurpose

Polyurethane based joint sealant and adhesive for exterior and interior applications



Product Information

Properties/Advantages:

- Low emission
- Bubble free curing
- Good adhesion to concrete
- Easy application properties
- Resistant to weather conditions

Shelf Life:

- 15 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 600 ml sausages

Colors:

- White, grey, black

Units per Package:

- 20





Hybrid Sealants

Sikaflex® 111 Stick & Seal

Flexible adhesive and sealant



Product Information

Properties / Advantages:

- Bonds well to a wide variety of substrates
- without surface pre-treatment
- Bonds to damp concrete
- Compatible with with most substrates, EPS/XPS, building wraps and bitumen
- Good mechanical resistance
- Good weathering resistance

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 290 ml cartridges

Colors:

- White, concrete grey, brown, black

Units per Package:

- 12

Sikaflex® 112 Crystal Clear

Transparent adhesive and sealant



Product Information

Properties / Advantages:

- Can be applied to damp /wet surfaces
- 100 % transparent
- Good initial grab
- Very low emissions
- Adhesive-sealant with CE marking
- Paintable

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 290 ml cartridges

Colors:

- Transparent

Units per Package:

- 12

Sikaflex® 113 Rapid Cure

Fast curing construction adhesive



Product Information

Properties / Advantages:

- Primerless bonding
- High ultimate bonding strength
- Use for bonding mirrors and will not attack mirror backings
- Can be applied to damp/wet surfaces
- Fast Curing
- Early handling after 20 min
- Adhesive-sealant with CE marking
- Very low emissions
- Paintable

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information

- 290 ml cartridges

Colors:

- White, grey, black

Units per Package:

- 12

Sikaflex® 118 Extreme Grab

Construction adhesive



Product Information

Properties / Advantages:

- Primerless bonding
- High ultimate bonding strength
- Use for bonding mirrors and will not attack mirror backings
- Can be applied to damp/wet surfaces Very high initial grab
- Fixing of heavy objects without temporary fixation
- Good workability
- Very low emissions
- Strong and elastic bond
- Paintable

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 290 ml cartridges

Colors:

- White

Units per Package:

- 12

ABC 2000

General purpose high performance hybrid sealant and adhesive



Product Information

Properties/Advantages:

- Joint sealing applications
- Between prefabricated construction elements
- Installation of roofing elements
- Suitable for aluminum, PVC and wood window frame mounting applications
- General purpose adhesive

Shelf Life

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information

- 310 ml cartridges
- 400 ml and 600 ml sausages

Colors

- White, grey, black, brown, goldoak, anthracite, cream

Units per Package:

- 30

ABC MS1 TACK HIGH TACK

Single component MS Polymer based adhesive with high initial grab and adhesion properties



Product Information

Properties / Advantages:

- Does not contain solvent, silicone and isocyanate
- Paintable
- No shrinkage
- High initial grab
- No bubble formation

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information


- 290 ml cartridges

Colors

- Transparent, grey, white

Unit per Package:

- 30



Adhesives

ABC 444 Montage Kit

Single component, fast curing polyurethane based adhesive



Product Information

Properties/Advantages:

- Fast curing
- Short press time
- Can be used horizontally and vertically
- Resistant to moist and weather conditions (According to DIN EN 204)

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- Transparent

Units per Package:

- 30

ABC 333 Liquid Nail

Single component acrylic based adhesive



Product Information

Properties/Advantages:

- Excellent adhesion and sealing properties
- Solvent-free
- Strong form after curing
- Paintable

Shelf Life:

- 18 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges

Colors:

- White

Units per Package:

- 30

ABC 850 EPDM

Single component neutral curing silicone based sealant and adhesive



Product Information

Properties/Advantages:

- Specially designed EPDM bonding applications
- Resistant to UV
- Color stability
- Good adhesion to various surfaces
- Low modulus

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 310 ml cartridges
- 400 ml and 600 ml sausages

Colors:

- White

Units per Package:

- 30

ABC MDF KIT

Two component fast curing adhesive



Product Information

Properties/Advantages:

- High bonding strength
- Suitable for use on vertical surfaces as it will not drip or slump
- It is particularly suited to bonding difficult substrates which have a porous or uneven nature since it
- Increases bonding strength by preventing the adhesive to be absorbed by the surface

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 27 gr + 100 ml set
- 50 gr + 200 ml set
- 100 gr + 400 ml set

Units per Package:

- 24

ABC MARBLE AND STONE ADHESIVE

ABC marble and Stone adhesive is a rapid curing based on polyester resin.

Product Information

Properties/Advantages:



- Resistant to UV
- Resistant to alkali and diluted acidic solutions
- Temperature resistance of the cured material -10 C and +100 C
- Bonded surfaces are ready to be used after 2 hours
- No color change, cracking or shrinkage during hardening period

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 250 gr and 1000 gr pail

Colors:

- Cream

Units per Package:

- For 250 gr pail; 24
- For 1000 gr pail; 12

ABC 702 Super Glue

is an extra low viscosity superfast instant glue based on cyanoacrylate adhesive

Product Information

Properties/Advantages:



- Immediate bond
- Very high bond strength after a few seconds
- Suitable for glass, rubber, metals, ceramic and many plastics
- Substrates need to be smooth and have a perfect connection area. Apply a drop on one of the
- substrates. Join substrates and press firmly for one minute. Application temperature is between +5°C and +30°C

Shelf Life:

- 12 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 15 gr and 20 gr Plastic Tube

Units per Package:

- 500

ABC 700

Polyester based chemical anchor



Product Information

Properties/Advantages:

- Economical
- Thixotropic, can be applied in vertical and horizontal direction
- Fast curing
- Suitable for use on construction materials like hollow bricks
- Fixing of; gates, balustrades, roller blinds, panes, antennas, consoles, cable trays etc.

Shelf Life:

- 12 months with suitable storage conditions
- (Please refer latest Data Sheets)

Packaging Information:

- 300 ml cartridges, 12 pieces

Colors:

- Grey

ABC PU MARINE ADHESIVE

One-component polyurethane wood adhesive



Product Information

Properties/Advantages:

- Easy application, low viscosity
- Excellent bond strength
- Fast drying
- Water resistant (D4-DIN EN204)
- Can be used on slightly humid surfaces
- Resistant to temperature extremes
- Resistant to moisture and chemicals

Shelf Life:

- 12 months with suitable storage conditions
- (Please refer latest Data Sheets)

Packaging Information:

- 560 gr Tube

Colors:

- White





Aerosols

Sika Multioil

ABC Multi Oil is high performance penetrating oil enriched with MoS₂

Product Information

Properties/Advantages:

- Excellent penetrating capability. Penetrates into hard-to-reach areas quickly.
- Loosen rusted parts and form a protective layer between metal surfaces.
- Diminish friction.
- Remove water and protects against moisture.
- Protects metal parts and surfaces from corrosion.
- Eases quick disassembly of mechanical components, fittings, assemblies, nuts and bolts and other close tolerance fasteners.
- Leaves a solid lubricating MoS₂ film.
- Reduces wear and facilitates future disassembly.
- MoS₂ reduces friction even elevated temperatures.



Shelf Life:

- 24 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 200 ml and 400 ml Pail

Units per Package:

- For 200 ml pail; 24
- For 400 ml pail; 12

Sika Brake Cleaner

Brake spray cleans dust

Product Information

Properties/Advantages:

- Cleans the dust on disc and drum
- With its efficient formula it cleans without disassembling the brake unit
- It helps to decrease voice causing from brake parts
- Dries immediately
- Cleans deeply
- Can be applicable 3600 It is not corrosive
- Leaves no chemical residue



Shelf Life:

- 24 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 500 ml Tube

Units per Package:

- 12

ABC Spray Paint

Product Information



Properties/Advantages:

- High-grade nitro-combi quality
- Very good coverage
- Excellent adhesion on many surfaces
- Good flow, smooth surface
- Quick-drying
- Suitable for indoors and outdoors applications
- Polishable surface
- Weather-resistant, light-proof, UV-resistant
- Scratch-, shock- and impact-resistant
- Quick-drying (The drying time depends on surrounding temperature, air humidity and thickness of the applied coat).

Raf Ömrü:

- 36 months with suitable storage conditions (Please refer latest Data Sheets)

Packaging Information:

- 200 ml and 400 ml Tupe

Colors:

- Black, white, grey and brown (If you have any request about the color we have offer color option)

Units per Package:

- 200 ml Tube; 24
- 400 ml Tube; 12





Supplementary Products

Polyurethane Foam Gun



Packaging	Units per Package	Description
Metal	20	Gun for using polyurethane foam application

Silicone Sealant Gun



Packaging	Units per Package	Description
Metal	15	Gun for using silicone sealant application
Plastik	24	

Sausage Gun



Packaging	Units per Package	Description
400 ml Metal	10	Sausage gun for PU sealant application
400 ml Şeffaf	10	
600 ml Metal	10	
600 ml Şeffaf	10	

ABC Kimya San. ve Dış Tic. A.Ş.
Ortaköy San. Sitesi, İlter Bulvarı
No: 16 Selimpaşa - Silivri
www.abcsealants.com

Tel: 0212 422 13 56
Faks: 0212 422 13 58



A Sika BRAND



A Sika BRAND